











For more information call 01 427 3700 or visit www.dmi.ie

Offers cannot be combined with any discount structures. Prices exclude VAT. E&OE.

### **T1 Boost Turbines** Perfection that fits in your hand Premium class LED turbines with ergonomic lightweight titanium sleeves Offering high power and optimum control

- at all times, the T1 range are extremely quiet during operation
- KaVo & Sirona fitting
- 3 year warranty

SIR-6689405 T1 Boost (KaVo Multiflex coupling)

RRP €1,780

Only €949



KAVO

Dentsply Sirona

### **T2 Boost Turbines**

Quality you can rely on

- You can rely on Dentsply Sirona T2 class turbines for any situation
- · The continuous high performance, the ergonomic shape together with a surface finish for strong grip, these LED turbines made of stainless steel are guaranteed
- KaVo, Sirona, W&H & NSK fitting
- 2 vear warranty

SIR-6689637 T2 Boost (KaVo Multiflex coupling)

RRP €1,440

Only €768



K4VO

Dentsply Sirona

### T3 Boost Turbines Powerful and economical

- Non optic
- · Made of stainless steel, these nonfibre optic turbines have 26 watts of power and ceramic hall bearings to ensure efficient working in the long run
- · Powerful lasting efficiency
- KaVo & Sirona fitting
- 1 vear warranty

SIR-6689827 (KaVo Multiflex coupling)

RRP €1.060 Only €565 SAVE 47%

KAVO

NSK

Dentsply Sirona

### MASTERtorque Lux M9000L KaVo's Premium Turbine

- Powerful 23 watts
- Quiet Only 57dB, vibration free
- Small head for improved access and patient comfort - Height 13.1mm
- Features Direct Stop Technology (DST™)
- Four port spray
- PLASMAtec<sup>™</sup> coating for perfect grip
- Ceramic ball bearings
- · Powerful illumination. Glass rod light conductor
- KaVo & Sirona fitting KAVO-M9000L

RRP €1,891

**€1,135 each** or **Buy Triple Pack** 

@ only €857 each

### **EXPERTtorque E680L**

- Quiet, vibration-free operation (65 dB)
- 18 Watt power
- KaVo pushbutton chuck system (up to 30 N retention power)
- Compact head casing (height: 13.6 mm/Ø:12.5 mm)
- · 4 port spray for optimal cooling
- · Replaceable micro water filter
- · KaVo MULTIflex coupling system
- Can be sterilised in an autoclave up to 135°C
- KaVo & Sirona fitting
- 24 month warranty

KAVO-E680L-DUOPK KAVO-E680L

RRP €1.418

€794 each or **Buy Triple Pack** 

@ only €643 each

### **SMARTtorque S619L**

- Quiet, vibration-free operation (65dB)
- 16 Watt power at only 2.8 bar
- KaVo pushbutton chuck system (30 N retention power)
- Compact head casing
- (height: 14.5 mm/Ø: 12.5 mm)
- 4 port spray for optimal cooling
- Can be sterilised in an autoclave up to 135°C

**Buy Triple Pack** 

@ only €534 each



### Ti-Max Z900KL

- Optic
- Standard Head
- Light Weight Titanium
- 26W Power
- 4-Port Spray 3 Years Warranty
- · Offer Fits Kavo Only

NSK-1113001

RRP €1,304 Buy 1 get 1 FREE

@ only €652 each while stocks last



### **S-Max M900**

- Optic
- Standard Head
- Stainless Steel
- 26W Power
- 4-Port Spray
- 2 Years Warranty
- Fits NSK, Kavo, Sirona, W&H, Bien Air Couplings

Fitting	Product	Product Code

NSK-P1258001 Special Price €454 M900KL Kavo NSK-P1254001 Buy 4 @ €667 each NSK M900I Sirona M900SI NSK-P1262001 Buy 4 @ €667 each NSK-P1266001 Buy 4 @ €667 each W&H M900WL

NSK-P1264001 Buy 4 @ €667 each





### Pana-Max 2

- Non optic
- · Standard Head
- · Stainless Steel
- 1 Port Spray
- Fits KaVo & NSK
- 1 year warranty

**Product Code** Fitting

Kavo NSK-P1212001

NSK NSK-P1211001

RRP €519

Buy 1 get 1 FREE

@ only €260 each while stocks last



# Synea Fusion TG-98LM

- · 4 port spray
- Head size Ø 11.5mm
- 19 W. 360,000 rpm
- FG burs Ø 1.6mm for bur lengths up to 25mm
- · Compact glass rod, ceramic ball bearings · Coupling system Multiflex,
- NSK & Rotoquick WH-30003000

RRP €1.290 €610



### **Prime Line Fibre Optic** HP21KL

M900BL

- · Standard Head, Quattro Spray
- KaVo MULTIflex Connection
- Fibre-Optic
- 25W Power
- Scratch-Resistant Titanium Coating

MX-dent

• German Engineered

Bien Air

• 2 Years Warranty MKDE-HP21KL

**€595 each** or **Buy Triple Pack** @ only €506 each

### Classic-Line Optic HC21KL

- · Standard head, Quattro spray
- KaVo MULTIflex Connection • Fibre-Optic
- 23W Power
- · German Engineered

MKDE-HC21KL

Email: info@dmi.ie

• 18 Months Warranty

MX-dent

**€549 each** or

@ only €467 each

**Buy Triple Pack** 

### **Eco-Line Fibre Optic** HF21KL

- Standard head, Quattro spray
- KaVo MULTIflex Connection
- Fibre-Optic
- 24W Power
- · German Engineered • 18 Months Warranty

MX-dent MKDE-HE21KL

**€449 each** or **Buy Triple Pack** @ only €382 each









### **CONTRA ANGLES 1:1 RATIO (BLUE)**

Dentsply Sirona T1 C40L Longer service life thanks to Diamond like Carbon coated ball bearings Optimal illumination for an excellent view • 1:1 ratio has single spray • 3 year warranty SIR-3328437 Model: C40L 1:1 Ratio (Blue) RRP €1,100 Now €587

Dentsply Sirona **T2 A40L**  Robust ceramic ball bearings · Pleasant and easy to grip thanks to its titanium · Optimal illumination for great visibility during treatments • 1:1 ratio has single spray · 2 year warranty SIR-6376185 Model: A40L

T3 E40 Dentsply The T3 is a sturdy, economical contra angle which will give many years of high performance · Non optic · Sturdy, titanium sleeve Ceramic ball bearings Internal water · 1 year warranty SIR-6392687 Model: E40 1:1 Ratio (Blue)

RRP €672 Now €358

### **MASTERmatic M20L & L68**

- Transmission 1:1
- Speed range up to 40,000 rpm
- Optic
- Internal air/water coolant
- · Works on electric or air motors that have a universal "E" type connection
- · Plasmatec Anti-Slip Finish
- Improved angulation
- · Flexibility of use when paired with different INTRA LUX Heads
- 2 year warranty KAVO-M20L

RRP €1,435

**€906 each** or **Buy Triple Pack** @ only €688 each



KAVO

### **EXPERTmatic E20L**

- Transmission 1:1

1:1 Ratio (Blue)

RRP €919

Now €490

- · Cellular optic
- · For latch type burs
- Speed range up to 40,000 rpm (electric motor) and 20,000 rpm (air motor)
- · Internal air/water coolant
- · Push button auto chuck
- 1-port spray
- EXPERTgrip™
- Universal "E" type connection
- · 24 month warranty


KAVO-E20L-DUOPK

RRP €1,144

€702 each or **Buy Triple Pack** 

@ only €549 each

### SMARTmatic S20



· Ceramic sliders within the clamping

- system for enduring and secure tool holding
- Rust-free stainless steel for longlasting durability
- · Lightweight for tireless working
- Optimum balance for precise treatment
- 1:1 Ratio
- 1 year warranty

KAVO-S20 RRP €282

€203 each or **Buy Triple Pack** 

@ only €196 each

# Ti-Max Z25L NSK

- Optic
- Ratio: 1:1 • 1-Port Spray
- Light Weight Titanium
- · 3 Year Warranty

NSK-C1038001

RRP €1,378 **€1,102 each** or

**Buy 3** @ only €735 each



### S-Max M25L NSK

- · Optic
- Ratio: 1:1
- 1-Port Spray
- · Stainless Steel
- 2 Year Warranty

NSK-C1024001

RRP €909

€727 each or

Buy 4 @ only €545 each



# **FX 25M**

- Non optic
- 1:1
- No Spray
- Stainless Steel
- 1 year warranty

NSK-C1052001

RRP €281

Buy 1 get 1 FREE

@ only €141 each



### **Synea Vision WG-56LT**

- Optic
- 1:1
- 1 Port Spray

WH-30009000

- Stainless Steel
- 2 Year Warranty





# Alegra WE-56

- · Non Optic
- 1:1
- No Spray Stainless Steel

WH-30116000

- 1 year warranty



**W&H** 



### **CA 1:1L**

- Optic
- 1:1
- 3-Port Spray
- · Stainless Steel
- 2 Years Warranty

RRP €703 €372

Bien Air















**W&H** 

# **SPEED INCREASING CONTRA ANGLES 1:5 (RED)**

KAVO

### T1 C200L





- · Optimal illumination for an excellent view
- 1:5 ratio has four hole spray
- · 3 year warranty

SIR-3328452

Model: C200L 1:5 Ratio (Red)

RRP €1,770 Now €944





- Robust ceramic ball bearings
- · Pleasant and easy to grip thanks to its titanium sleeves
- · Optimal illumination for great visibility during treatments
- . 1:5 ratio has four hole spray
- 2 year warranty

SIR-6376177 A200L 1:5 Ratio (Red) SIR-6576065 AS200L (Short) 1:5 Ratio (Red)

RRP €1,240 Now €661



### T3 E200

- Contra-Angle Red
- Ratio 1:5
- Non optic
- Spray 4N
- · Ceramic bearings
- Head Diameter 8.7
- Head Height 14.6 RPM 200.000
- 1 year warranty

SIR-6392679

RRP €995

Now €531



### **MASTERmatic M25L**

- · Speed increasing handpiece ideal for crown and veneer preparation
- 1:5 speed increasing ratio
- Extremely quiet Only 55dB
- Features Direct Stop Technology
- · No suck back. Replaceable spray microfilter
- · Three port spray
- · Plasmatec coating for perfect grip
- · Ceramic ball bearings
- Powerful illumination
- · 2 year warranty

KAVO-M25L

RRP €2,136

**€1,225** or **Buy Triple Pack** 

@ only €985 each



### **EXPERTmatic E25L**

Dentsply

Sirona

- Speed-increasing handpiece transmission 1:5 (red)
- Fast and precise working thanks to even smaller head and ceramic bearings
- · Best reliability thanks to internally conducted spray water and air, 3-port spray, and replaceable water
- Perfect lighting thanks to the 25,000 Lux glass rod light conductor
- · Better Grip
- · 24 month warranty

KAVO-E25L-DUOPK KAVO-E25L

RRP €1,569

€942 or **Buy Triple Pack** 

@ only €753 each



NSK

### Ti-Max Z95L Switch

- Optic contra-angle
- 1:5 Increasing · Quattro spray
- · Ceramic ball-bearings
- · World first switch between water and spray on handpiece
- · 3 year Warranty

NSK-C1034001SW

RRP €1.697

€1.358 each or

Buy 3 @ only €905 each



### S-Max M95L

- 1:5 Speed Increasing
- 4-Port Spray

NSK-C1023001

RRP €1,122

**€898 each** or

- Stainless Steel
- · 2 year warranty



# S-Max M95

- Non Optic
- 1:5 Increasing
- Max Speed 200,000 min-1
- Head Size Ø9.9 x H 14.5 mm

KIVO

- For FG Burs (Ø1.6)
- · Body Material Stainless Steel
- · Water Spray Quattro Spray
- · 2 year warranty

NSK-C1026001

RRP €909

€727 each or

Buy 4 @ only €545 each



### EV0.15 1:5 L

- · Standard or Micro Series
- Small head (10% smaller)
- CoolTouch+™ heat-arresting technology
- Shockproof head
- 55 dBA
- · Multi-strand optical glass technology
- · Up to 3 years warranty

BIEN-1600940-001 Micro Series BIEN-1600941-001 Standard





### **CA 1:5 L**

- · Standard or Micro Series
- · Multi-strand optical glass technology 58 dBa
- Cool TouchTM

Email: info@dmi.ie

· Up to 3 Years Warranty

BIEN-1600690-001 Micro Series

BIEN-1600386-001 Standard




Bien Air











### AM1006 with LED

- · Chrome coating
- LED Light5,500 K colour temperature
- · Left and right direction of
- Internal spray

€395



### 181L with LED

- Speed range up to 20,000 rpm
- Forward / reverse speed adjustment
- Internal air / water coolant6-pin connection
- · Fits all attachments optic or non-optic with Universal "E" type connections
- 2 year warranty

KAVO-1811

€1.147



### AM-25RM

- Non optic
- No spray
- New integrated 360° rotation
- · Mid west connection
- 1 year warranty

WH-30108000





### **AM0004**

- Max. 20 000rpm
- · No spray
- Standard INTRAmatic® connection
- · Suitable for all common instruments
- · Non fibre optic
- 1 year warranty

MKDE-AM0004

€195



### STRAIGHT HANDPIECES 1:1 RATIO

### Alegra HE-43

- · For handpiece and contraangle burs with Ø 2.35 mm (ISO 1797-1)
- Drive speed: 40,000 min-1
- Outer diameter of the sheath:
- Non optic
- · No spray
- 1 year warranty

WH-30119000

€142





### T4 Model BH40

- Stainless steel
- · Bur fastening via push button
- · For use with burs with a 2.35mm diameter stem
- Max. speed: 40,000rpm
- No spray
- No optic

€162

· 1-year warranty





### **Smartmatic S10**

- 1:1 (blue handpiece)
- Max. drive operating speed: 40.000
- · Non optic
- No spray
- 1 year warranty

€211



- Non Optic
- 1:1 Straight
- No Spray
- Stainless Steel

NSK-H1014001

Buy 1 get 1 FREE

@ only €141 each

# **COUPLINGS FOR KAVO TYPE TURBINES**

### **KaVo Multiflex 465LED**

- · LED Optic with water control
- · Rotary ring spray regulation with
- multiple indent locking positions Non-return valve (water)
- 1 vear warranty

Kavo-465LED





### **KaVo Multiflex 465LRN**

- · Optic with water control
- With 4-hole standard connections
- New lamp holder
- Rotary ring spray regulation with multiple indentlocking positions
- · Non-return valve (water)
- · 1 year warranty Kavo-465LRN







### **KaVo Multiflex 465RN**

- With 4-hole standard connections
- Rotary ring spray regulation with multiple indent locking positions
- Non-return valve (water)
- · 1 year warranty

Kavo-465RN €206





### **KaVo Multiflex 460LED**

- LED Optic
- · No Spray Adjustment
- Suitable for Kavo Fitting Handpieces
- 1 year warranty

Kavo-460LED





### **KaVo Multiflex 460E**

- Non optic
- No water control
- Kavo-460E

€140



### **MK-DENT Multiflex**

- 6 hole quick connector with LED
- · With water control

MKDE-QC6016KW

• 1 year warranty





### **MK-DENT Multiflex**

€209

- 6 hole quick connector with LED
- · No water control
- 1 year warranty

MKDE-QC6016K

€165







# **COUPLINGS FOR W&H TYPE TURBINES**

# RQ-34 Optic

- Optic (Bulb in Handpiece)
- With Spray Adjustment Ring
- For W&H Fitting Handpieces 1 vear warranty

WH-10403400

€209





# **RQ-24 Optic**

- No Spray Adjustment
- For W&H Fitting Handpieces





Web: www.dmi.ie

### **RQ-14**

- Non optic
- Water control
- Free 360° instrument rotation • Continuous regulation of the
- spray water supply • Roto Quick non-retraction valve
- 1 year warranty WH-10401400







**RQ-04** 











# • 20,000 rpm non-load speed

- rotation
- 6-pin tubing
- · 1 year warranty














Kavo-S10





**W&H** 









€281 each



- With 4-hole standard connections









- Optic (Bulb in Handpiece)
- 1 year warranty

WH-10402400







# HANDPIECE MAINTENANCE/AIR POLISHERS

### Sirona LED coupling

- Optic
- · 1 year warranty



SIR-6319706

# Coupling for NSK - LED PTL M4



- No Spray Adjustment
- · NSK Fitting Handpiece-

NSK-P1001600

€213



# **QUATTROcare Plus 2124A**

The cost-efficient solution for optimum care and long-term maintenance of handpieces.

- · Cleans and oils any 4 handpieces in under 1 minute
- · Only one-minute care cycle
- Program-controlled, automated care process
- · Optimum lubrication, thanks to automatic, outlet-specific, metered dosing
- · Easy handling
- · No leakage of excess residual oil from handpiece
- · Modern and ergonomic design

KAVO-1-008-3805





RRP €2,795 **€1,957** 

# PROPHYflex 4 Air Polisher Box

- Easy to use, two handpieces in one perfect for supragingival and subgingival applications - Whether for prophylaxis or periodontology, fissure sealing, aesthetic dentistry, prosthetics or orthodontics,
- it can be used on any teeth, any patient and almost any indication • PROPHYflex 4 is available in three fresh and exciting colors, each available as a MULTIflex coupling or Sirona coupling option

Each box contains: Prophy Box PROPHYflex 4 contains: KaVo PROPHYflex 4 Wave KaVo PROPHYpearls Neutral (80 Sticks) KaVo PROPHYpearls Selection (80 Sticks)

Kerr OptiView Small Kit (2 pcs.)

Kavo-1-013-5078 Blue Kavo-1-013-5079 Lime Kavo-1-013-5080 Flamingo



# RONDOflex plus 360





- · Gentle treatment without drilling, without injection, without noise, without vibrations.
- · Pleasant for your patient, particularly for sensitive patients and children
- Incomparable flexibility through problem-free use at various workplaces thanks to MULTIflex coupling: simply push on and start.

Includes 2 cannulae

KAVO-01-002-2179



K4VO

RRP€2,206 **€1,576** 

## **Perio - Mate**

- Used in the treatment of periodontal pockets and peri-implantitis
- · The slim nozzle tip easily inserted into tight pockets and the root surfaces of adjacent teeth without causing the patient discomfor
- Powder Control Ring makes fine-tuning powder flow simple can easily be rotated using the fingertips even while performing complex operations
- Easily dismantled for cleaning and decontamination

NSK-Y1002654



**€**1.119

Plus FREE 2nd handpiece worth €456

Bundle Offer Buy Prophy - Mate & Perio - Mate together Only €1,978

# **iCare**

- · Cleans 4 Handpieces
- · Internal cleaning and lubrication
- Chuck cleaning function ensures that the chuck is thoroughly cleaned and lubricated
- · Purging select mode ensures complete removal of excess oil
- Integrated large oil tank (1.2 litre) reduces burden of refill
- 28cm (W) X 24cm (D) X 35cm (H)
- · Air Line Required

NSK-Y1002787



# **Prophy - Mate Neo**

- Air Powered Tooth Polishing System
- Twin nozzle
- · Comfort design
- Twin joints rotate smoothly 360° degrees for easy operability
- One touch operation
- Selectable 60° and 80° nozzles
- · The handpiece can be washed in the thermodisinfector
- Autoclavable up to 135°C
- · Fits KaVo, NSK, Sirona, W&H, Bien Air NSK-Y135030









# HANDPIECE OIL & ACCESSORIES

### **Universal Oil Spray**

- · High-quality universal care for all KaVo contra-angles, handpieces, turbines, heads and air motors
- Ensures a long life for all KaVo instruments
- · Environmentally friendly propellent 500ml

KAVO-0-411-9640

KAVO

KAVO

€33.48



### **Quattrocare Plus Oil Spray**

- · Designed to clean, lubricate and purge your instruments
- · Maintenance spray for KaVo turbines, air motors, straight and contra-angle handpieces
- Only for use in the QUATTROcare handpiece oiler
- 500ml

KAVO-1-005-4525

€40.79



KAVO

## **Oil Nozzle Intra** (Slow handpieces)

• Handpiece lubricating oil spray nozzle for slow handpieces

KAVO-0-411-9911

### **Oil Nozzle Multiflex** (Fast handpieces)

· Handpiece lubricating oil spray nozzle for fast handpieces

€10.25

€10.25

### Oil Spray

- · For use with all types of handpiece
- · Non-toxic and non-allergenic
- · No odour or taste
- · Good wetting capacity to cover all internal moving parts
- Heat resistant and does not evaporate
- 500ml

PEGA-100111

€12.92



### T1 Oil Spray

KAVO-0-411-9921

- Universal cleaning and lubricating oil for the preservation and disinfection of dental instruments
- 250ml

SIR-5901665



€45



### F1 Service Oil Spray MD

- · Superior Iubrication
- · Fully sterilizable, absolutely resistant to hydrolysis
- F1 Oil works with turbines, straight and contra-angle handpieces, surgical instruments, air scalers and air motors
- 400ml

WH-10940021

€41.23



### Oil Spray Nozzle -**Fixed Connection**

- · Spray Cap With Nozzle
- · Chuck system for turbines and contra-angle handpieces as well as turbine handpieces and air motors with fixed connection

WH-02036100

€10.23

### Oil Spray Nozzle -Slow Handpieces

- Spray cap for W&H F-1 service oil
- · For slow handpieces

WH-02038200

€13.65



### Oil Spray Nozzle -**Fast Rotoquick Connection**

 Spray cap with nozzle for all W&H turbines, air motors and scalers with ROTO QUICK connection

WH-02229200

€22.73



### Pana Spray Oil

· PANA SPRAY Plus is a specially formulated, highly effective general handpiece and air motor lubricant.



€32.70 NSK-Z182100



### iCare Maintenance Oil

- · Specially formulated maintenance oil provides for the highest levels of cleaning & lubricating of handpieces
- 1000ml



€96.50



NSK-Z016130





# **CURING LIGHTS & SCALERS**

# Woodpecker O-Star

### The Ultimate Curing Expert

- · Performs light curing in 1 second
- Longer wavelength: 385 515 nm
- It includes a light intensity meter which is located in the charging base
- It has 7 different work modes: normal, high intensity, turbo, ortho, soft, pulse and verification
- Light intensity: up to 3000mw/cm<sup>2</sup>
- Small, rotating head allows you to reach all angles of the mouth and reach the back teeth without difficulty

WOOD-OSTAR

€495



# **Woodpecker iLED**

### **Curing Light**

- Ergonomic curing light with 360° rotating head
- Fast Cures up to 2mm in just one second
- Light intensity up to 2300mw/cm<sup>2</sup> with constant power output
- Power input: AC100V-240V
- Light output intensity: 1000 mW/ cm2~2500mW/cm2
- Time Sets: 5-20 Seconds
- Operation Mode: turbo mode, normal mode
  €295

WOOD-ILED



# **Woodpecker LED.H ORTHO**

### Specially designed for Orthodontics

- Specially designed for orthodontics. In just 3 seconds the brace solidifies
- · Short, powerful cycles without overheating
- Constant work without losing intensity, for a complete curing of the resins
- Light and easy to use, with a rechargeable battery
- The new bevelled light guide design can easily reach any tooth and radiate vertically at any angle
- Includes a light intensity meter

WOOD-LED.H.ORTHO

€245



# **Woodpecker LED.H**

### Specially designed for Orthodontics

- Woodpecker LED-H Light Curing Lamp provides reliable light curing of any type of material
- It is a light weight lamp, which will allow you to use it during a large part of your professional daily activity, without causing fatigue
- Three working modes: Normal, ramp or intermittent
- High-capacity battery with charge duration for 200 continuous light-curing cycles

WOOD-LED.H

€195



# **Sine Wave Reservoir Scaler**

- Ultrasonic cleaning device with a handpiece type EMS without light
- Dismountable and sterilizable table-top model
- Modern design with touch control and waterproof
- Scaler, perio and endo function
- Modulates sinus waves, allowing the best treatment with maximum comfort

### Includes

7 tips: 1 x G4 supragingival scaler tip

- 1 x G12 supragingival scaler tip
- 1 x P1 Periodontal scaler tip
- 1 x P3 Periodontal scaler tip
- 1 x P8 Periodontal scaler tip
- 2 x E6 Endodontic scaler tip



WOOD-U600

€695



# **Ultrasonic UDS-N2 Scaler**

- Built in ultrasonic scaler (compatible with A-dec and Belmont units)
- The handpiece is detachable and can be autoclaved to 135°
- The UDS N2 instrument is compatible with the EMS system compatible tip and inserts



WOOD-UDS-N2

# **DTE-D7 Piezo Scaler**

### Satelec Type

- Assembled with excellent piezoceramic, the handpiece has high and lasting power and generates little heat.
- Eliminates dental calculus, bacterial plague and tea scales on the teeth quickly without hurting the gum or the enamel.
- · Light weight, easy to operate.
- Compatible with Satelec hand piece and tips.

## Replacement Handpieces

Woodpecker/EMS Type wood-hw-3h €165 Woodpecker U600 Handpiece wood-hw-6 €165 Woodpecker/EMS Type LED wood-hw-5L €185 DTE/Acteon Satelec Type LED dte-hd-7h €165

# Replacement Tips

Woodpecker/EMS Perio P1 wood-P1 Perio P3 wood-P3 Perio P4 wood-P4 Scaling G1 wood-G1 DTE/Acteon/Satelec Perio PD1 DTE-PD1 Perio PD3 DTE-PD3 Scaling GD1 DTE-GD1 Scaling GD4 DTE-GD4

**Replacement Wrenches** 

Sirona Type wood-TS-IL €15

Satelec Type DTE-TD-2L €15

Woodpecker/EMS Type wood-tw-IL €12

DTE/Acteon Satelec Type DTE-TD-IL €12

€21



€495

DTE-D7



