



## Safety Information Sheet for Medical Devices

Copyright, 2022, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	36-6354-9	<b>Version number:</b>	1.00
<b>Revision date:</b>	29/07/2022	<b>Supersedes date:</b>	Initial issue.

A safety data sheet is not required for this Product. This Safety Information Sheet has been created on a voluntary basis.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3M™ Filtek™ One Bulk Fill Restorative

##### Product Identification Numbers

70-2014-0467-3	70-2014-0468-1	70-2014-0469-9	70-2014-0470-7	70-2014-0471-5
70-2014-0472-3	70-2014-0473-1	70-2014-0474-9	70-2014-0475-6	70-2014-0476-4
70-2014-0477-2	70-2014-0478-0	70-2014-0481-4	70-2014-0482-2	70-2014-0483-0
70-2014-0484-8	70-2014-0485-5	70-2014-0486-3	70-2014-0487-1	70-2014-0488-9
70-2014-0489-7	70-2014-0490-5	70-2014-0491-3	70-2014-0492-1	70-2014-0493-9
70-2014-0494-7	70-2014-0495-4	70-2014-0496-2	70-2014-0497-0	70-2014-0498-8
70-2014-0499-6	70-2014-0500-1	70-2014-0501-9	70-2014-0502-7	70-2014-0506-8
70-2014-0508-4	70-2014-0639-7	70-2014-1143-9	70-2014-1144-7	70-2014-1145-4
70-2014-1146-2	70-2014-1147-0	70-2014-1148-8	70-2014-1149-6	70-2014-1150-4
70-2014-1151-2	70-2014-1152-0	70-2014-1153-8	70-2014-1154-6	70-2014-1663-6
70-2014-1664-4	70-2014-1665-1	70-2014-1666-9	70-2014-1667-7	70-2014-1668-5
70-2014-1669-3	70-2014-1670-1	70-2014-1671-9	70-2014-1672-7	70-2014-1673-5
70-2014-1674-3	70-2014-1677-6	70-2014-1678-4	70-2014-1679-2	70-2014-1680-0
70-2014-1681-8	70-2014-1682-6	70-2014-1683-4	70-2014-1684-2	70-2014-1685-9
70-2014-1686-7	70-2014-1687-5	70-2014-1688-3	70-2014-1691-7	70-2014-1825-1
70-2014-1826-9	70-2014-1827-7	70-2014-1828-5	70-2014-1829-3	70-2014-1830-1
70-2014-1831-9	70-2014-1832-7	70-2014-1833-5	70-2014-1834-3	70-2014-1835-0
70-2014-1836-8	HB-0045-5414-1	HB-0045-5415-8	HB-0045-9059-0	
7100109998	7100109985	7100109997	7100109992	7100110000
7100109994	7100109993	7100109986	7100109991	7100110007
7100109989	7100109999	7010343366	7010389463	7010304361
7010389464	7010343367	7010389465	7010317631	7010389466
7010343368	7010296868	7010317633	7010389472	7010389467
7010343369	7010389468	7010317632	7010389469	7010343370
7010304362	7010389470	7010343371	7010389471	7010343373
7010317634	7100135777	7100141095	7100141100	7100141479

7100141087	7100141085	7100141084	7100141121	7100141092
7100141091	7100141127	7100141124	7100141093	7100239358
7100239359	7100239360	7100239433	7100239434	7100239435
7100239436	7100239437	7100239438	7100239439	7100239120
7100239344	7100239349	7100239122	7100239350	7100239443
7100239351	7100239444	7100239345	7100239346	7100239445
7100239352	7100239446	7100239453	7100239448	7100265536
7100265535	7100265534	7100265763	7100265764	7100265537
7100265539	7100265538	7100265542	7100265594	7100265595
7100265599				

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Identified uses

Medical device; refer to Instructions for Use

## 1.3 Details of the supplier of the safety information sheet for medical devices

**Address:** 3M Ireland Limited, The Iveagh Building, The Park, Carrickmines, Dublin 18.  
**Telephone:** +353 1 280 3555  
**E Mail:** tox.uk@mmm.com  
**Website:** www.3M.com

## 1.4. Emergency telephone number

+44 (0)1344 858 000

## SECTION 2: Hazard identification

### 2.1. Classification of the substance or mixture

#### CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

A similar mixture has been tested for acute dermal toxicity and the test results do not meet the criteria for classification.

A similar mixture has been tested for acute oral toxicity and the test results do not meet the criteria for classification.

This product is a medical device as defined in Directive 93/42/EEC (MDD) respectively Regulation (EU) 2017/745 (MDR), which is invasive or used in direct physical contact with the human body, and therefore is exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5). Although not required, the classification and label information, as applicable, is provided below.

#### CLASSIFICATION:

Skin Sensitization, Category 1 - Skin Sens. 1; H317

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

### 2.2. Label elements

#### CLP REGULATION (EC) No 1272/2008

#### SIGNAL WORD

WARNING.

**Symbols**

GHS07 (Exclamation mark) |

**Pictograms****Ingredients:**

Ingredient	CAS Nbr	EC No.	% by Wt
Aromatic urethane dimethacrylate	1431303-59-1		10 - 20
Aliphatic dimethacrylate	72829-09-5	276-900-4	< 10
Urethane dimethacrylate (UDMA)	72869-86-4	276-957-5	1 - 10

**HAZARD STATEMENTS:**

H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

**PRECAUTIONARY STATEMENTS****Prevention:**

P280E Wear protective gloves.

**Response:**

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

**2.3. Other hazards**

For information on hazards and safe use, please consider the corresponding sections of this document.  
This material does not contain any substances that are assessed to be a PBT or vPvB

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Not applicable

**3.2. Mixtures**

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Silane treated ceramic	(CAS-No.) 444758-98-9	60 - 70	Substance not classified as hazardous
Aromatic urethane dimethacrylate	(CAS-No.) 1431303-59-1	10 - 20	Skin Sens. 1B, H317
Aliphatic dimethacrylate	(CAS-No.) 72829-09-5 (EC-No.) 276-900-4	< 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335

			Aquatic Acute 1, H400,M=10 Aquatic Chronic 1, H410,M=1
Ytterbium fluorid	(CAS-No.) 13760-80-0 (EC-No.) 237-354-2	1 - 10	Substance with a Union workplace exposure limit
Silane treated silica	(CAS-No.) 248596-91-0	1 - 10	Substance not classified as hazardous
Urethane dimethacrylate (UDMA)	(CAS-No.) 72869-86-4 (EC-No.) 276-957-5	1 - 10	Aquatic Chronic 3, H412 Skin Sens. 1B, H317
Silane treated zirconia ceramic	(CAS-No.) Non-Material	< 5	Substance not classified as hazardous
Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	< 5	Substance not classified as hazardous

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SIS

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

#### Substance

Carbon monoxide  
Carbon dioxide.

#### Condition

During combustion.  
During combustion.

### 5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SIS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

## SECTION 7: Handling and storage

Refer to Instructions for Use (IFU) for more information.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SIS.

#### Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety information sheet.

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use in a well-ventilated area.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

##### *Applicable Norms/Standards*

Use eye protection conforming to EN 166

##### Skin/hand protection

See Section 7.1 for additional information on skin protection.

##### Respiratory protection

None required.

## SECTION 9: Physical and chemical properties

**9.1. Information on basic physical and chemical properties**

Physical state	Solid.
Specific Physical Form:	Paste
Colour	White
Odor	Slight Acrylate
Melting point/freezing point	<i>No data available.</i>
Boiling point/boiling range	<i>Not applicable.</i>
Flammability (solid, gas)	Not classified
Flammable Limits(LEL)	<i>Not applicable.</i>
Flammable Limits(UEL)	<i>Not applicable.</i>
Flash point	No flash point
Autoignition temperature	<i>No data available.</i>
Relative density	1.9 [Ref Std:WATER=1]
pH	<i>substance/mixture is non-soluble (in water)</i>
Kinematic Viscosity	<i>No data available.</i>
Water solubility	Negligible
Density	1.9 g/cm <sup>3</sup>

**9.2. Other information****9.2.2 Other safety characteristics**

EU Volatile Organic Compounds	<i>No data available.</i>
Evaporation rate	<i>No data available.</i>
Molecular weight	<i>Not applicable.</i>

**SECTION 10: Stability and reactivity****10.1 Reactivity**

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

**10.2 Chemical stability**

Stable.

**10.3 Possibility of hazardous reactions**

Hazardous polymerisation will not occur.

**10.4 Conditions to avoid**

Heat.

**10.5 Incompatible materials**

Strong oxidising agents.

**10.6 Hazardous decomposition products**

<u>Substance</u>	<u>Condition</u>
None known.	

Refer to section 5.2 for hazardous decomposition products during combustion.

**SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition,

statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

#### Additional Health Effects:

#### Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal	Professional judgement	LD50 Not applicable
Overall product	Ingestion	Rat	LD50 > 2,000 mg/kg
Silane treated ceramic	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane treated ceramic	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Aromatic urethane dimethacrylate	Dermal	Professional judgement	LD50 estimated to be 2,000 - 5,000 mg/kg
Aromatic urethane dimethacrylate	Ingestion	Rat	LD50 > 2,000 mg/kg
Silane treated zirconia ceramic	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane treated zirconia ceramic	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Urethane dimethacrylate (UDMA)	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Urethane dimethacrylate (UDMA)	Ingestion	Rat	LD50 > 5,000 mg/kg
Ytterbium fluorid	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg

Ytterbium fluorid	Ingestion	Rat	LD50 > 5,000 mg/kg
Aliphatic dimethacrylate	Dermal	Professional judgement	LD50 estimated to be 2,000 - 5,000 mg/kg
Aliphatic dimethacrylate	Ingestion	similar compounds	LD50 2000-5000 mg/kg
Silane treated silica	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane treated silica	Ingestion		LD50 estimated to be > 5,000 mg/kg

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

Name	Species	Value
Silane treated ceramic	similar compounds	No significant irritation
Aromatic urethane dimethacrylate	In vitro data	No significant irritation
Silane treated zirconia ceramic	Rabbit	No significant irritation
Silane treated silica	Professional judgement	No significant irritation

### Serious Eye Damage/Irritation

Name	Species	Value
Silane treated ceramic	similar compounds	Mild irritant
Aromatic urethane dimethacrylate	In vitro data	No significant irritation
Silane treated zirconia ceramic	Rabbit	Mild irritant
Ytterbium fluorid	Professional judgement	Mild irritant
Silane treated silica	Professional judgement	No significant irritation

### Skin Sensitisation

Name	Species	Value
Silane treated ceramic	similar compounds	Not classified
Aromatic urethane dimethacrylate	Professional judgement	Sensitising
Urethane dimethacrylate (UDMA)	Guinea pig	Sensitising

### Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

### Germ Cell Mutagenicity

Name	Route	Value
------	-------	-------

Aromatic urethane dimethacrylate	In Vitro	Not mutagenic
Silane treated zirconia ceramic	In Vitro	Some positive data exist, but the data are not sufficient for classification

### Carcinogenicity

Name	Route	Species	Value
Silane treated ceramic	Inhalation	similar compounds	Some positive data exist, but the data are not sufficient for classification
Silane treated zirconia ceramic	Inhalation	Multiple animal species	Some positive data exist, but the data are not sufficient for classification

### Reproductive Toxicity

#### Reproductive and/or Developmental Effects

For the component/components, either no data is currently available or the data is not sufficient for classification.

#### Target Organ(s)

#### Specific Target Organ Toxicity - single exposure

For the component/components, either no data is currently available or the data is not sufficient for classification.

#### Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Silane treated ceramic	Inhalation	pulmonary fibrosis	Not classified	similar compounds	NOAEL Not available	
Silane treated zirconia ceramic	Inhalation	pulmonary fibrosis	Not classified	Multiple animal species	NOAEL Not available	
Silane treated zirconia ceramic	Inhalation	respiratory system	Not classified	Human	NOAEL Not available	occupational exposure

### Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Please contact the address or phone number listed on the first page of the SIS for additional toxicological information on this material and/or its components.**

The product was evaluated by a toxicologist to be safe for its intended use.

### 11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

## SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

### 12.1. Toxicity

No product test data available.

Material	CAS #	Organism	Type	Exposure	Test endpoint	Test result
Silane treated ceramic	444758-98-9		Data not available or insufficient for classification			N/A
Aromatic urethane dimethacrylate	1431303-59-1	Green algae	Experimental	72 hours	ErC50	>100 mg/l
Aromatic urethane dimethacrylate	1431303-59-1	Water flea	Experimental	48 hours	EC50	>100 mg/l
Aromatic urethane dimethacrylate	1431303-59-1	Green algae	Experimental	72 hours	ErC10	>100 mg/l
Aliphatic dimethacrylate	72829-09-5	Green algae	Experimental	72 hours	EC50	0.017 mg/l
Aliphatic dimethacrylate	72829-09-5	Water flea	Experimental	48 hours	EC50	>100 mg/l
Aliphatic dimethacrylate	72829-09-5	Green algae	Experimental	72 hours	EC10	0.0064 mg/l
Silane treated silica	248596-91-0		Data not available or insufficient for classification			N/A
Urethane dimethacrylate (UDMA)	72869-86-4	Green algae	Endpoint not reached	72 hours	ErC50	>100 mg/l
Urethane dimethacrylate (UDMA)	72869-86-4	Water flea	Experimental	48 hours	EC50	>100 mg/l
Urethane dimethacrylate (UDMA)	72869-86-4	Zebra Fish	Experimental	96 hours	LC50	10.1 mg/l
Urethane dimethacrylate (UDMA)	72869-86-4	Green algae	Endpoint not reached	72 hours	ErC10	>100 mg/l
Ytterbium fluorid	13760-80-0	Water flea	Experimental	48 hours	No tox obs at lmt of water sol	>100 mg/l
Silane treated zirconia ceramic	Non-Material		Data not available or insufficient for classification			N/A

## 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silane treated ceramic	444758-98-9	Data not availbl-insufficient	N/A	N/A	N/A	N/A
Aromatic urethane dimethacrylate	1431303-59-1	Experimental Biodegradation	28 days	CO2 evolution	4.88 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2
Aliphatic dimethacrylate	72829-09-5	Experimental Biodegradation	28 days	CO2 evolution	97.3 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2
Silane treated silica	248596-91-0	Data not availbl-insufficient	N/A	N/A	N/A	N/A
Urethane dimethacrylate (UDMA)	72869-86-4	Experimental Biodegradation	28 days	CO2 evolution	22 %CO2 evolution/THC O2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
Ytterbium fluorid	13760-80-0	Data not availbl-insufficient	N/A	N/A	N/A	N/A
Silane treated zirconia ceramic	Non-Material	Data not availbl-insufficient	N/A	N/A	N/A	N/A

## 12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
----------	---------	-----------	----------	------------	-------------	----------

Silane treated ceramic	444758-98-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Aromatic urethane dimethacrylate	1431303-59-1	Experimental Bioconcentration		Log Kow	6.9	OECD 117 log Kow HPLC method
Aliphatic dimethacrylate	72829-09-5	Modeled Bioconcentration		Bioaccumulation factor	6.6	Catalogic™
Silane treated silica	248596-91-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Urethane dimethacrylate (UDMA)	72869-86-4	Experimental Bioconcentration		Log Kow	3.39	
Ytterbium fluorid	13760-80-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Silane treated zirconia ceramic	Non-Material	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**12.4. Mobility in soil**

No test data available.

**12.5. Results of the PBT and vPvB assessment**

This material does not contain any substances that are assessed to be a PBT or vPvB

**12.6. Endocrine disrupting properties**

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

**12.7. Other adverse effects**

No information available.

## SECTION 13: Disposal considerations

**13.1 Waste treatment methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Refer to Instructions for Use (IFU) for more information.

**EU waste code (product as sold)**

180106\* Chemicals consisting of or containing dangerous substances.

## SECTION 14: Transportation information

Not hazardous for transportation.

	<b>Ground Transport (ADR)</b>	<b>Air Transport (IATA)</b>	<b>Marine Transport (IMDG)</b>
<b>14.1 UN number or ID number</b>	No data available.	No data available.	No data available.
<b>14.2 UN proper shipping name</b>	No data available.	No data available.	No data available.

<b>14.3 Transport hazard class(es)</b>	No data available.	No data available.	No data available.
<b>14.4 Packing group</b>	No data available.	No data available.	No data available.
<b>14.5 Environmental hazards</b>	No data available.	No data available.	No data available.
<b>14.6 Special precautions for user</b>	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
<b>14.7 Marine Transport in bulk according to IMO instruments</b>	No data available.	No data available.	No data available.
<b>Control Temperature</b>	No data available.	No data available.	No data available.
<b>Emergency Temperature</b>	No data available.	No data available.	No data available.
<b>ADR Classification Code</b>	No data available.	No data available.	No data available.
<b>IMDG Segregation Code</b>	No data available.	No data available.	No data available.

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global inventory status

Contact the manufacturer for more information

## SECTION 16: Other information

### List of relevant H statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Revision information:

Revision information not available

The product to which this Safety Information Sheet applies is classified as a medical device according to the EU Medical Device Regulation EU 2017/745. \_x000D\_

Medical devices which are invasive or used in direct physical contact with the human body are exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5). \_x000D\_

The EU Medical Device Regulation does not foresee the use of Safety Data sheets for medical devices which are invasive or used in direct physical contact with the human body, as the safe use of the product is described through the Instructions for Use and /or the labelling for the product. Nevertheless, the 3M Safety Information Sheet is provided as a further service to customers to provide additional toxicology and chemical information on the product. In case of further questions, please contact your 3M representative listed on the Safety Information Sheet.

**3M Ireland Safety Information Sheets are available at [www.3M.com](http://www.3M.com)**