



July - September 2025

Promotions

NEWSLETTER



SIGN UP!



SPECIAL OFFER
HyFlex EDM
P. 10-11



NEW
BRILLIANT Bulk Fill Flow
P. 18-19



BUR CHART
DIATECH Diamond Burs
P. 28-31

LATEX & NON-LATEX TOOTH ISOLATION

HySolate Dental Dam

A clever move in tooth isolation

- Increases visibility on the treatment site through isolation
- Acts as an infection control barrier
- Creates a dry operating field


Dental Dam BLACK EDITION

- Pre-printed to reduce working steps
- Black colour for ultimate contrast
- Less hypersensitivity – low protein and powder free latex dam



HySolate Latex Dental Dam - Powder free, low protein

Size	Colour	Thickness				Quantity
		Thin	Medium	Heavy	X-heavy	
152 x 152 mm	Green	60034418	60034419	60034420	60034421	x36
	Black Edition	-	60031352	60031353	60031354	
	Blue	-	60034442	60034443	-	
	Light	60034427	60034428	60034429	60034430	
	Fiesta (Assortment)	60034433	60034436	60034438	-	



FOR THE
FULL RANGE
PLEASE ASK
YOUR TERRITORY
MANAGER

HySolate Dental Dam Non-Latex

Size	Colour	Thickness medium	Quantity
152 x 152 mm	Green	H09105	x15
		H09106	x75

LEARN MORE



CLEANING & DISINFECTION

SciCan HYDRIM C61 WD G4



Automated Instrument Washer-Disinfectors are the first step in the reprocessing process

The HYDRIM C61 WD from Eschmann and COLTENE ensures instruments are properly and consistently cleaned and disinfected before moving onto sterilisation in an autoclave.

Features include:

- Accommodates 120 instruments per cycle
- Heavy duty cleaning, disinfection & drying in 60 minutes
- Validated cycles and compliant to HTM01-05/SDCEP

- WRAS approved

- Benchtop or underbench mounting meaning it can fit into practices where space is at a premium

Service & Support

In addition, Eschmann offer a fully comprehensive service package to support your HYDRIM C61 WD. This includes ECPD training, annual service & software upgrades, unlimited parts, labour & breakdown cover from our nationwide team of over 50 engineers.



Available from:
Eschmann Technologies Ltd.
Tel. 01903 753322
Email - info@eschmann.co.uk
www.eschmann.co.uk



ULTRASONIC CLEANING SYSTEM

Ultrasonic cleaning supports safe instrument reprocessing!

BioSonic UC150

- 5.7l stainless steel tank
- Low noise during operation
- Data log function and download of usage data via USB
- Individually adjustable functions
- Offers space for several cassettes at the same time
- Use as tabletop or built-in unit
- Heating function from 25 up to 60°C (Function can be activated separately via code)
- Glove-friendly touch screen


BioSonic UC150 Cleaner Unit UK Plug type G

REF 60021989

- | | |
|-----------------------|---------------------|
| 1 × Unit with display | 1 × Recess Template |
| 1 × Basket | 1 × Recess Gasket |
| 1 × Power Cord [UK] | 1 × Drain Tube |

Accessories

- | | |
|--------------|---|
| REF UC53 | 1 × 600 ml Beaker with Cover & Positioning Ring |
| REF 60022040 | 1 × Cassette Basket 26.8 × 15.8 × 11.5 cm |
| REF 60022041 | 1 × Beaker Holder |

Ultrasonic Solutions

- | | |
|--------------|------------------------------------|
| REF 60021960 | 1 × BioSonic UC40 dosed bottle, 1l |
| REF 60021961 | 1 × BioSonic UC40 refill can, 5l |

BioSonic UC50DB

BioSonic UC50DB Cleaner Unit UK Plug

REF UC50DB230UK

- With Digital Timer
Tank capacity 3.2l
1 × Tank cover
1 × Fingerguard instrument basket
1 × Owners guide



CanalPro X-Move

Includes integrated Apex Locator

Already programmed for the new OGSF sequence file

- Continuous rotation and a reciprocation motion for all common file systems
- Wireless endomotor for easy and flexible operation
- Integrated apex locator for safe and efficient treatments
- Insulated contra angle with super mini-head and slim neck provides convenient usage and free field of view
- Intuitive control display for easy handling
- Pre-programmed settings for COLTENE file systems saves preparation time



CanalPro X-Move contra angle super mini-head & slim neck



Normal contra angle head & neck

CanalPro X-Move Motor


REF 65002739

Contents:

1 x Motor Handpiece, 1 x Charging Base, 1 x Contra Angle Head (REF 65002744)
1 x Spray Nozzle, 1 x Measuring Wire, 4 x File Holder, 2 x Lip Clip,
2 x Touch Probe, 2 x "O" ring, 1 x Power Adapter, 1 x Battery

Ask your Territory Manager for a demonstration

LEARN MORE



DISCOVER THE ENDO ASSISTANT JENI!

CanalPro Jeni

Digital assistance system for canal preparation



CanalPro Jeni, complete set

REF 60023659

includes:

- 1 x Control unit,
- 1 x Motor with apex measuring contact,
- 1 x Fully insulated angled handpiece 1:1,
- 1 x Bluetooth foot switch,
- 1 x Power supply,
- 1 x Apex cable set,
- 1 x Holding bracket for apex cable


New, autonomous assistance system for canal preparation




Reach your objective efficiently with the Jeni mode



Perfectly matched to four file systems




Irrigation with aplomb



Apex locator – measuring length without interruption



Flexible use via Doctor's Choice function



Future-proof with updates



LEARN MORE





HyFlex EDM – OGSF Sequence

1
Opener
18/.11



400 rpm
Max torque 2.5 Ncm

2
Glider
15/.03



300 rpm
Max torque 1.8 Ncm

3
Shaper
18/.045



400 rpm
Max torque 2.5 Ncm

4
Finisher
30/.04



400 rpm
Max torque 2.5 Ncm

— Working length



**Would you like fast, safe and predictable?
Discover the new sequence solution!**

The new HyFlex EDM OGSF sequence includes a new Orifice Opener and Glidepath file for opening the glide path, as well as a Shaping file for shaping the root canal over the full length. The defined treatment procedure makes the preparation easy and keeps the learning curve short. Due to the optimized match of tip sizes and tapers, designed in cooperation with Prof. Pedullà, the files provide a smooth feeling when shifting from one file to another and help you to keep control over the treatment.

Features and Benefits

- Efficient treatment with high cutting performance
- High fracture resistance and flexibility
- Centered preparation of the canal
- Only one shaping file
- Sterile blister
- 2 lengths: 21 and 25 mm

Shaping

HyFlex EDM OGSF Set, 4 pcs		21 mm	25 mm
OGSF Sequence		60036141	60036142
HyFlex EDM OGSF Refills, 3 pcs	18 mm	21 mm	25 mm
Orifice Opener 18/.11	60036140	-	-
Glidepath File 15/.03	-	60023493	60023492
Shaping File 18/.045	-	60036136	60036137
Finishing File 30/.04	-	60036138	60036139
HyFlex EDM Finishing File, 3 pcs		21 mm	25 mm
Finishing File 40/.04		60022271	60019597
Finishing File 50/.03		60022272	60019598
Finishing File 60/.02		60022274	60019599

Drying and Obturation

Size / Taper	HyFlex EDM Paper Points, 100 pcs	HyFlex EDM Guttapercha Points, 60 pcs
30/.04	60036503	60036504
40/.04	60022676	60022708
50/.03	60022741	60022709
60/.02	60022740	60022710



LEARN MORE



HyFlex EDM

Stays on track

Manufactured from Nickel-Titanium alloy with Controlled Memory (CM) heat treatment, HyFlex EDM files allow multiple regeneration and reuse. Due to their innovative manufacturing process using electric discharge machining HyFlex EDM files have a unique surface and stand out by their durability and high fracture resistance.

- Treats 80 % of all cases with the one file
- Designed for successful centered canal preparation
- Multiple regeneration and reuse
- Specially hardened for safer application
- High flexibility
- Extreme resistance to fracture

OFFER

3+1*

ON REFILLS

Includes EDM and CM Refills



Orifice Opener
25/.12



Glidepath File

15/.03



10/.05



Preparation File

20/.05



Shaping File

25/~ OneFile



Length	Refill × 3 400 rpm - 2.5 N.cm	Refill × 3 300 rpm - 1.8 N.cm	Refill × 3 300 rpm - 1.8 N.cm	Refill × 3 400 rpm - 2.5 N.cm	Refill × 3 400 rpm - 2.5 N.cm
21mm	-	60023493	60022269	60022275	60022270
25mm	-	60023492	60019594	60022276	60019595
15mm	60019596	-	-	-	-

LEARN MORE



HyFlex EDM Shaping Set Simple

- 1 × 25/.12 Orifice Opener
- 1 × 10/.05 Glidepath File
- 1 × 25/~ Shaping File

Length	
21mm	60022267
25mm	60019363



HyFlex EDM Shaping Set Medium

- 1 × 10/.05 Glidepath File
- 1 × 20/.05 Preparation File
- 1 × 25/~ Shaping File

Length	
21mm	60022277
25mm	60022278



HyFlex EDM Refills for finishing (optional)

3 × File of your choice

	21mm	25mm
40/.04	60022271	60019597
50/.03	60022272	60019598
60/.02	60022274	60019599



CanalPro SyringeFill

Smart colour-coded syringes for safe root canal irrigation

Modular system for safe and efficient filling of syringes with endo irrigating solutions. The colour coding of the CanalPro irrigation solution system simplifies handling and ensures safe treatment workflows, even in stressful situations. CanalPro SyringeFill is available in two versions. Once as CanalPro SyringeFill Station with a free-standing station consisting of base and bottle carrier in a stainless steel construction. In addition, it is also available as CanalPro SyringeFill Holder with a bottle carrier for wall mounting in a stainless steel construction.

- Protects against contamination
- Improved safety by colour coding to minimise the risk of syringe mix-up
- Time-saving one-hand use
- Prevents loss of material
- Available as a free-standing station or as a holder with bottle carrier for wall mounting



OFFER
15% OFF*
STATION & HOLDER

SyringeFill Station - free standing - REF 60031347
SyringeFill holder - wall mount - REF 60031348



CanalPro Irrigation Solutions

CanalPro NaOCl

3% or 6%
For irrigation/debridement of root canals during and after treatment

Available in 3% and 6% formula

500ml - 3% - REF 65002866
500ml - 6% - REF 65002867

CanalPro EDTA 17%

17% EDTA solution (pH 8.5)
Removes smear layer and dentin mud

Opens dentin tubules for:
- Disinfection solutions to work better
- Better adhesion of sealers and obturation materials

500ml - REF 60019651

CanalPro CHX 2%

2% chlorhexidine digluconate solution

Substantive

Very effective against E. faecalis and fungal

500ml - REF 60019658



OFFER
25% OFF RRP*
500ml RINSING SOLUTIONS

Irrigation solutions are used to help dissolve vital and necrotic tissue, eradicate bacteria and other microorganisms, remove the smear layer, and lubricate the canal system.

As no single irrigation solutions exists that can accomplish all of the above goals, multiple solutions should be used during clinical treatment. Sodium hypochlorite (NaOCl), ethylenediaminetetraacetic acid (EDTA), and 2% Chlorhexidine (CHX) are commonly used for chemical debridement during the process of canal preparation.



SyringeFill Cap
REF 60019662

EXPANSION MEETS ADHESION

roeko
GuttaFlow 2

GuttaFlow 2 is a filling system for obturation of root canals containing two products in one: Guttapercha in the form of powder with a particle size smaller than 30 µm and a sealer. This filling system works with cold, flowable Guttapercha.

- Excellent flow properties
- Almost no solubility
- Dense occlusion of the root canal
- Very good tissue compatibility
- Reinfection protection
- Optimal radiopacity
- Precise root post preparation possible

LEARN MORE



**GuttaFlow 2
Standard set 5ml syringe**
1 × Dual-barrel syringe,
12 × Mixing tips,
1 × Mixing pads
REF 60026870

**GuttaFlow 2
Refill pack 5ml syringe**
REF 60026871

**GuttaFlow 2
Refill pack 24 mixing tips**
REF 60013719




Bioactive obturation material

roeko
GuttaFlow bioseal

Dual safety stage

- Gutta Percha and sealer in a single application
- Nearly insoluble
- The healing process is supported by increasing the pH value



Images - Dr. Thomas Rieger

**GuttaFlow bioseal
Standard Set 5ml syringe**
1 × Dual-barrel syringe,
12 × Mixing tips,
1 × Mixing pads
REF 60019560

**GuttaFlow bioseal
Refill pack 5ml syringe**
REF 60019561


**GuttaFlow bioseal
Refill pack 24 mixing tips**
REF 60019562

Paper and Guttapercha Points

HyFlex EDM Paper Points and Guttapercha Points

HyFlex paper and guttapercha points are optimally matched to the HyFlex EDM files and thus contribute to the best possible treatment result. They correspond to the respective sizes and have the perfect taper to dry and obturate root canals previously prepared with HyFlex files precisely and as quickly as possible.

- Precise fit
- Colour-coded
- Highest quality
- assorted or individual sizes
- ≥ 28 mm



HyFlex EDM & OGSF Paper and Guttapercha points selection

Size / tape	Paper points 100 pcs	Guttapercha points 60 pcs
20 / .05	REF 60022742	REF 60022706
OneFile 25/~	REF 60022743	REF 60022707
40 / .04	REF 60022676	REF 60022708
50 / .03	REF 60022741	REF 60022709
60 / .02	REF 60022740	REF 60022710
Assortment 20/.05 - 60/.02	REF 60022744	REF 60022705
OGSF 30/.04	REF 60036503	REF 60036504

OFFER

4+1*

ON PAPER POINTS
& GP POINTS
REFILLS

Roeko Paper Points and Guttapercha Points, Top color



Roeko Top Color
Paper points

Size	200 pcs
Assorted 15–40	REF 344596
15	REF 344515
20	REF 344520
25	REF 344525
30	REF 344530
35	REF 344535
40	REF 344540
Size	120 pcs
Assorted 45–80	REF 344597
45	REF 344545
50	REF 344550
55	REF 344555
60	REF 344560
70	REF 344570
80	REF 344580
Assorted 90–140	REF 344598
90	REF 344590
100	REF 344591
110	REF 344592
120	REF 344593
130	REF 344594
140	REF 344595

- Sterile
- Glue-free
- Highly absorbent
- White tip, end coloured
- Monitors cleaning and drying of the root canal



Roeko Top Color
Guttapercha points


Size	100 pcs
Assorted 15–40	REF 365196
15	REF 365115
20	REF 365120
25	REF 365125
30	REF 365130
35	REF 365135
40	REF 365140
Assorted 45–80	REF 365197
45	REF 365145
50	REF 365150
55	REF 365155
60	REF 365160
70	REF 365170
80	REF 365180
Assorted 90–140	REF 365198
90	REF 365190
100	REF 365191
110	REF 365192
120	REF 365193
130	REF 365194
140	REF 365195

- Latex-free guttapercha points
- Pink tip, end colour coded
- Produced fully automatically
- Precisely produced by machine rolling for a uniform taper

A-SILICONE IMPRESSION MATERIAL

AFFINIS

- Still one of the fastest A-silicones
- Precise moulding of every detail even under the most difficult conditions
- Confidence during impression taking
- Easy monitoring for success



AFFINIS putty

2 x 300ml Base and Catalyst
2 x Dosage spoon

Viscosity		
putty soft		6530
putty soft fast		6531
putty super soft		6535



AFFINIS system 360

2 x 380ml Cartridge
1 x Fixation Ring

Viscosity		
putty		6472
heavy body		6487
MonoBody		6482

FOR THE FULL RANGE
PLEASE ASK
YOUR TERRITORY
MANAGER



AFFINIS and AFFINIS PRECIOUS

2 x 50ml Cartridge
12 x Universal Mixing Tip

Viscosity		
light		6501
light fast		6601
regular		6511
regular fast		6611
PRECIOUS light		6775
PRECIOUS regular		6776

LEARN MORE



Speedex

The C-silicone with A-silicone quality

- One for all: the Speedex Universal Activator for all wash and tray materials
- Speedex putty soft material impresses with outstanding final hardness
- You can customise the working time by increasing or reducing the amount of activator paste



REF 4970	Putty
REF 60023572	Putty Soft
REF 4980	Light Body
REF 4986	Medium
REF 4990	Universal Activator

LEARN MORE




Universal Mixing Tip

One for all, all for one!

Universal Mixing Tip – Always the right choice

- For all 50 ml and 25 ml microSystem cartridges from COLTENE
- All common oral and spreader tips of 50 ml and 25 ml cartridges can be used
- Simple and precise application due to reduced extrusion forces
- Practical, flexible and economical
- For all COLTENE light and regular body, bite registration and gingival mask materials

With up to 55 % less extrusion force during the application of wash material the new Universal Mixing Tip ensures an easier work with dispensers.



FLOWABLE BULK-FILL COMPOSITE

BRILLIANT Bulk Fill Flow **NEW**


BRILLIANT Bulk Fill Flow is the ideal filling material for fast and easy restorations. Based on the BRILLIANT filler technology it is the perfect partner for BRILLIANT EverGlow and EverGlow Flow.

- The ideal filling material for fast and easy restorations
- No capping layer needed
- Reliable curing depth up to 4mm
- One adaptive Multi-Shade material



BRILLIANT Bulk Fill Flow Refill
1 single shade, Multi Shade adaptive material

REF 60033280
1 × Syringe of 2.3 g
11 × Application needles



No top layer needed

Thanks to high abrasion resistant properties, quality restorations are achieved in one efficient step since there is no need for a covering layer.

4 mm reliable curing depth

Increments up to 4 mm thickness are reliably cured in 20 sec ($\geq 1000 \text{ mW/cm}^2$). This feature combined with the surface wettability and flowability of the material offers time saving working steps.

One adaptive Multi Shade material

The chameleon effect of BRILLIANT Bulk Fill Flow allows the Multi Shade material to adapt to a wide range of tooth shades.



Occlusal filling

More Information



Step-by-Step Video



BRILLIANT EverGlow

Enduring gloss – made brilliant

Thanks to its sophisticated load composition, BRILLIANT EverGlow immediately produces an exceptionally smooth, glossy and satin-finished surface as soon as the filling is put in place. Polishing is simplified and a very aesthetic restoration can be done in no time. In addition, the versatile BRILLIANT EverGlow filling material excels in its enhanced gloss retention.

- Exceptional polishability and long-lasting brilliance
- Aesthetic single-shade restorations
- Versatile shade system with three translucency levels
- Excellent sculptability and smooth consistency
- Good wettability with minimal stickiness to the instrument



BRILLIANT EverGlow Refills

1 x Syringe, 3g OR 20 x Tip, 0,2

	Bleach Syringe > 60019697 Tips > 60019706		Translucent Syringe > 60019704 Tips > 60019718
	A1/B1 Syringe > 60019698 Tips > 60019707		Bleach Translucent Syringe > 60019705 Tips > 60019719
	A2/B2 Syringe > 60019699 Tips > 60019708		Opaque Bleach Syringe > 60019743 Tips > 60019746
	A3/D3 Syringe > 60019700 Tips > 60019709		Opaque A1 Syringe > 60019744 Tips > 60019747
	A3.5/B3 Syringe > 60019701 Tips > 60019710		Opaque A2 Syringe > 60023819 Tips > 60023823
	C2/C3 Syringe > 60019702 Tips > 60019716		Opaque A3 Syringe > 60019745 Tips > 60019748
	A4/C4 Syringe > 60019703 Tips > 60019717		Opaque A4 Syringe > 60023820 Tips > 60023824

BRILLIANT EverGlow EcoPacks

REF 60024160	A1/B1, Tips EcoPack,	60 x 0.2 g
REF 60024161	A2/B2, Tips EcoPack,	60 x 0.2 g
REF 60024162	A3/D3, Tips EcoPack,	60 x 0.2 g
REF 60024163	A3.5/B3, Tips EcoPack,	60 x 0.2 g
REF 60024166	A1/B1, Syringes EcoPack,	5 x 3 g
REF 60024167	A2/B2, Syringes EcoPack,	5 x 3 g
REF 60024168	A3/D3, Syringes EcoPack,	5 x 3 g
REF 60024169	A3.5/B3, Syringes EcoPack,	5 x 3 g



LEARN MORE



"BRILLIANT EverGlow gives me consistent results"

Dr Mihir Nanavati is a dentist with a special interest in minimally invasive dentistry, composite bonding and full mouth restorative cases. He uses COLTENE BRILLIANT EverGlow universal micron hybrid composite and, here, he tells us why:

"I have tried multiple different composite systems over the last 10 years, but none have given me the consistent results that EverGlow has. It's a material that is easy to place, effortless to polish and incredibly stain resistant, with my bonding cases still showing fantastic lustre at five year post-placement reviews. I highly recommend using BRILLIANT EverGlow, you won't be disappointed!"

Dr Mihir Nanavati



BRILLIANT EverGlow Flow

BRILLIANT EverGlow Flow provides convincing aesthetic results and is the perfect partner for the universal BRILLIANT EverGlow composite. The aesthetic composite is easy to handle, and suitable for a host of different indications.

BRILLIANT EverGlow Flow

- 1 x 2g Syringe,
- 5 x Standard application needles
- 5 x Fine application needles 0.4 mm



	Bleach BL Syringe > 60019752
	A1/B1 Syringe > 60019753
	A2/B2 Syringe > 60019754
	A3/D3 Syringe > 60019755
	A3.5/B3 Syringe > 60019756
	A4/C4 Syringe > 60019757
	Translucent Trans Syringe > 60019758
	Opaque A2/(OA2) Syringe > 60019751
	Opaque A3/(OA3) Syringe > 60023825

PROFESSIONAL TOOTH BRIGHTENING SYSTEM

BRILLIANT Lumina

Natural bright smile

H_2O_2
was yesterday!

PAP
is the future of
tooth brightening.

BRILLIANT Lumina offers you an innovative in-office solution for tooth brightening – the first formula without hydrogen peroxide and carbamide peroxide.

This is because BRILLIANT Lumina is based on the active ingredient PAP (phthalimidoperoxy caproic acid). What makes it so special: the unique formula enables the PAP concentration to be kept sufficiently high to achieve a naturally brighter smile during treatment.

No
hydrogen
peroxide



BRILLIANT Lumina Basic Kit
REF 65002864
4x Gel, 1 x Activator, 1 x Patient brochure

OFFER
**TERRITORY
MANAGER
OFFER**
SEPTEMBER
ONLY

BRILLIANT Lumina – an asset for your practice

Satisfied patients – no tooth sensitivity during or after treatment.

Gentle on the tooth structure – analyses of tooth surfaces show that BRILLIANT Lumina does not have an erosive effect on the tooth structure.

Simple treatment protocol

– the uncomplicated application of BRILLIANT Lumina can also be performed by dental practice staff.

LEARN MORE



Convincing results

Well-documented patient cases and consistent results confirm the reliability of BRILLIANT Lumina. And patient satisfaction is also impressive.

Before and after images of tooth brightening with BRILLIANT Lumina



The clinical outcomes depend on the individual circumstances of the patient.



"I've never had tooth bleaching before because I was worried about unnaturally white teeth and pain sensitivity. However, the gentle method of BRILLIANT Lumina quickly convinced me. The natural brightening of my teeth is exactly what I was looking for – and all without pain during or after treatment."

Andreas, 27 years

REINFORCED CAD/CAM COMPOSITE FOR PERMANENT RESTORATION

BRILLIANT Crios Block

BRILLIANT Crios is a high performance composite block for permanent restorations. The material combines all the advantages of an innovative submicron hybrid composite material with those of a CAD/CAM fabrication process for the reliable, aesthetic and fast manufacturing of restorations without a separate firing process.

- High flexural strength for resistant restorations
- Tooth-like elasticity for a shock-absorbing effect and pleasant bite experience
- Blends in extremely well to give natural aesthetics
- High resistance and low abrasion on opposite tooth
- Easy polishing for fast shine



CEREC/inLab – 5 blocks
5 x Blocks (size 12 or 14)

	Low Translucent		High Translucent	
	5 x 12	5 x 14	5 x 12	5 x 14
BLEACH	60019998 BL LT 12	60019985 BL LT 14	-	-
A1	60019999 A1 LT 12	60019986 A1 LT 14	60020007 A1 HT 12	60019994 A1 HT 14
A2	60020000 A2 LT 12	60019987 A2 LT 14	60020008 A2 HT 12	60019995 A2 HT 14
A3	60020001 A3 LT 12	60019988 A3 LT 14	60020009 A3 HT 12	60019996 A3 HT 14
A3.5	60020002 A3.5 LT 12	60019989 A3.5 LT 14	-	-
B1	60020003 B1 LT 12	60019990 B1 LT 14	60020010 B1 HT 12	60019997 B1 HT 14
B2	60020004 B2 LT 12	60019991 B2 LT 14	-	-
B3	60020005 B3 LT 12	60019992 B3 LT 14	-	-

Free Sample available
Ask your Territory Manager

OFFER

**TERRITORY
MANAGER
OFFER**

JULY ONLY

BRILLIANT Crios Disc

- Made from our award winning BRILLIANT EverGlow composite
- High surface lustre for smoother restorations
- Duo shades for economy in high or low translucencies

	Low Translucent		High Translucent	
	14 mm	18 mm	14 mm	18 mm
A1	60022899 A1 LT H14	60022886 A1 LT H18	6002907 A1 HT H14	60022894 A1 HT H18
A2	60022900 A2 LT H14	60022887 A2 LT H18	60022908 A2 HT H14	60022895 A2 HT H18
A3	60022901 A3 LT H14	60022888 A3 LT H18	60022909 A3 HT H14	60022896 A3 HT H18
A3.5	60022902 A3.5 LT H14	60022889 A3.5 LT H18	-	-



The disc is available in the two different heights 14 mm/18 mm and following shades and translucencies:

LEARN MORE

ONE-COMPONENT LIGHT-CURED
UNIVERSAL ADHESIVE

ONE COAT 7 UNIVERSAL

The bond for all situations

LEARN MORE



Only one universal bond for all indications and etching techniques



Extremely economical:
up to 300 applications per bottle



Exceptional bonding values
and excellent marginal seal

OFFER

**TERRITORY
MANAGER
OFFER**

JULY ONLY



ONE COAT 7 UNIVERSAL Refill Bottle - REF 60019539
1 x Bottle 5 ml

ONE COAT 7 UNIVERSAL ACTIVATOR 3ml - REF 7054
for self and dual cure materials

1 x 3 ml Activator
1 x Microbrush, black



*Methacryloyloxydecyl dihydrogen phosphate

SELF-ADHESIVE DUAL-CURING
RESIN CEMENT


SoloCem

One step reliable
cementation

Your partner for virtually all indirect bonding indications. Depending on the situation, you can cement self-adhesively or adhesively. For universal use – that's where SoloCem comes in.



Aesthetic luting



Long-lasting
restorations

SoloCem Refills

1 × SoloCem, 5 ml
5 × Mixing Tip Brown Short Super Fine
5 × Mixing Tip Brown Short Fine

Dentin	60014062
White opaque	60014061
Trans	60019840



LEARN MORE



DIATECH ShapeGuard

Strong in polishing. Gentle on surfaces.

Ideal for polishing BRILLIANT Crios or any other indirect restorations. A perfect compliment to existing DIATECH diamond polishing systems

- Adapts to any surface
- Uniform pressure distribution due to flexible lamellas
- Morphology of tooth is preserved
- Fast, easy and intuitive finishing & polishing
- Optimised polishing systems for composite and ceramics



ShapeGuard Composite Polishes refill (pack of 5)

REF 60019878 Purple
REF 60019880 Light Blue

ShapeGuard Ceramic Polishes refill (pack of 5)

REF 60019881 Blue
REF 60019882 Red
REF 60019883 Grey

ShapeGuard Zirconia Polishes refill (pack of 5)

REF 60022004 Green
REF 60022005 Orange

LEARN MORE



ShapeGuard Zirconia Polishing Plus Kit

REF 60022020

This kit offers a comprehensive selection of silicone polishers for prepolishing (green polishers) and high luster polishing (orange polishers) of zirconia restorations.



ShapeGuard Ceramic Polishing Kit

REF 60019917

This kit offers a comprehensive selection of silicone polishers for finishing (blue polishers), prepolishing (red polishers) and high luster polishing (grey polishers) of ceramic restorations.



ShapeGuard Composite Polishing Kit

REF 60019916

This kit offers a comprehensive selection of silicone polishers for prepolishing (purple polishers) and high luster polishing (blue polishers) of composite restorations. While minipoints are used to smoothen and polish interproximal and hard to reach occlusal areas, the cups are especially indicated for cusp polishing, but also occlusal polishing in general.

NOW IN BLISTER PACKS

DIATECH Diamond Burs

DIATECH Diamonds now come in individually sealed and marked blister packs for traceability and convenience.

- Gold-plated premium instruments
- Higher number of diamonds per mm²
- 100% natural diamond grit
- 100% visual quality control
- ISO standardized grit sizes
- Precise blank calibration

*Large Size

Content: 50 instruments
10 × 5 blister packed burs
Available for selected products

Regular Size

Content: 5 instruments
Packed in 5 single sealed blister trays
Available for all products



LEARN MORE



DIATECH Diamond Bur Range

Head shape	Head shape no. ISO Ø 1/10 mm	Head L in mm	Price Gr.	C	M	F	EF
Bud/Pointed Football	368	3.5	D1/00SD	60031758			
Bud/Pointed Football	368	5	D1/00SD	60031754			
Bud/Pointed Football	368	5	D6/00SD	60031760			
Bud/Pointed Football	368	5	D6/00SD	60031768			
Bud/Pointed Football	368	5	D1/00SD	60031766			
Bud/Pointed Football	368	5	D1/00SD	60031762			
Bud/Pointed Football	368	5	D6/00SD	60031770			
Bud/Pointed Football	368	5	D1/00SD	60031780			
Bud/Pointed Football	368	5	D1/00SD	60031776			
Bud/Pointed Football	368	5	D1/00SD	60031772			
Egg/Football	379	3.5	D1/00SD	60031786			
Egg/Football	379	3.5	D1/00SD	60031784			
Egg/Football	379	3.5	D1/00SD	60031782			
Egg/Football	379	3.5	D1/00SD	60031794			
Egg/Football	379	3.5	D1/00SD	60031792			
Egg/Football	379	3.5	D6/00SD	60031788			
Egg/Football	379	3.5	D6/00SD	60031796			
Egg/Football	379	3.5	D1/00SD	60031810			
Egg/Football	379	3.5	D1/00SD	60031805			
Egg/Football	379	3.5	D1/00SD	60031800			
Bullet	390	3					
Bullet	390	3	D1/00SD	60031818			
Bullet	390	3	D1/00SD	60031816			
Interproximal	392	6	D6/00SD	60031826			
Interproximal	392	6	D6/00SD	60031824			
Interproximal	392	6	D6/00SD	60031820			
Interproximal	392	6	D1/00SD	60031830			
Interproximal	392	6	D1/00SD	60031828			
Interproximal	392	6					
Interproximal	392	6	D6/00SD	60031836			
Interproximal	392	6	D6/00SD	60031834			
Interproximal	392	6	D6/00SD	60031832			
Interproximal	392	6	D6/00SD	60031840			
Interproximal	392	6	D6/00SD	60031838			
Round	801	9	D1/00SD	60031850			
Round	801	9	D1/00SD	60031852			
Diabolo/Amalgam Remover	813	2	D6/00SD	60031952			
Wheel	818	2.5	D5/00SD	60031954			
Wheel	818	2.5	D5/00SD	60031956			
Wheel	818	2.5	D5/00SD	60031958			
Wheel	828	2.6	D5/00SD	60031960			
Wheel	828	3	D5/00SD	60031962			
Pear	830	2.7	D6/00SD	60031966			
Pear	830	2.7	D1/00SD	60031968			
Pear	830	12	D1/00SD	60031970			
Pear	830	14	D1/00SD	60031972			
Pear	830	16	D1/00SD	60031974			
Depth Marker	834	16	D5/00SD	60031996			
Depth Marker	834	21	D5/00SD	60031998			
Flat End Taper	847	8	D1/00SD	60032130			
Flat End Taper	847	8	D6/00SD	60032128			
Flat End Taper	847	8	D6/00SD	60032132			
Flat End Taper	847	8	D1/00SD	60032136			
Flat End Taper	847	8	D1/00SD	60032134			
Flat End Taper	847	8	D6/00SD	60032138			
Flat End Taper	847	8	D6/00SD	60032142			
Flat End Taper	847	8	D6/00SD	60032140			
Flat End Taper	847	8	D6/00SD	60032144			
Flat End Taper	847	8	D6/00SD	60032146			
Flat End Taper	848	10	D1/00SD	60032160			
Flat End Taper	848	10	D1/00SD	60032164			
Flat End Taper	848	10	D1/00SD	60032162			
Flat End Taper	848	10	D6/00SD	60032166			
Flat End Taper	848	10	D1/00SD	60032170			
Flat End Taper	848	10	D1/00SD	60032168			
Flat End Taper	848	10	D6/00SD	60032172			
Flat End Taper	848	10	D1/00SD	60032174			
Flat End Taper	848	10	D6/00SD	60032176			
Flat End Taper	848	10	D6/00SD	60032180			
Flat End Taper	848	10	D6/00SD	60032178			
Round End Taper	849	4	D1/00SD	60032190			
Round End Taper	849	4	D6/00SD	60032192			
Round End Taper	849	4	D6/00SD	60032194			
Round End Taper	849	4	D1/00SD	60032198			
Round End Taper	849	4	D1/00SD	60032196			
Round End Taper	850	10	D6/00SD	60032200			
Round End Taper	850	10	D1/00SD	60032204			
Round End Taper	850	10	D1/00SD	60032202			
Needle	859	10	D1/00SD	60032408			
Needle	859	10	D1/00SD	60032406			
Needle	859	10	D1/00SD	60032416			
Needle	859	10	D1/00SD	60032413			
Needle	859	10	D1/00SD	60032410			
Needle	859	10	D1/00SD	60032418			
Needle	859	10	D1/00SD	60032424			
Needle	859	10	D1/00SD	60032422			
Needle	859	10	D6/00SD	60032420			
Flame	860	10	D6/00SD	60032426			
Flame	860	10	D6/00SD	60032432			
Flame	860	10	D6/00SD	60032430			
Flame	860	10	D6/00SD	60032428			
Flame	860	10	D6/00SD	60032436			
Flame	860	10	D6/00SD	60032434			
Flame	860	10	D6/00SD	60032442			
Flame	860	10	D6/00SD	60032440			
Flame	860	10	D6/00SD	60032438			
Flame	862	10	D1/00SD	60032450			
Flame	862	10	D1/00SD	60032448			
Flame	862	10	D1/00SD	60032446			
Flame	862	10	D1/00SD	60032456			
Flame	862	10	D1/00SD	60032454			
Flame	862	10	D1/00SD	60032452			
Flame	862	10	D1/00SD	60032460			
Flame	862	10	D1/00SD	60032458			
Flame	862	10	D1/00SD	60032466			
Flame	862	10	D1/00SD	60032464			
Flame	862	10	D1/00SD	60032462			
Flame	863	10	D1/00SD	60032474			
Flame	863	10	D1/00SD	60032472			
Flame	863	10	D1/00SD	60032470			
Acorn	905	2.7	D4/00SD	60032688			
Acorn	905	3.1	D4/00SD	60032670			
Round Wheel	909	4	D5/00SD	60032672			
Round Wheel	909	4	D5/00SD	60032674			
Round Wheel	909	4	D5/00SD	60032676			
Round Wheel	909	4	D5/00SD	60032678			
Striated Cylinder	6051	6	D2/00SD	60031844			
Striated Cylinder	6051	6	D2/00SD	60031846			
Striated Cylinder	6052	8	D2/00SD	60031844			
Striated Cylinder	6052	8	D2/00SD	60031846			
Striated Cylinder	6055	8	D2/00SD	60031848			
Pear Long	830L	10	D1/00SD	60031976			
Pear Long	830L	12	D1/00SD	60031982			
Pear Long	830L	14	D6/00SD	60031980			
Pear Long	830L	15	D6/00SD	60031978			
Pear Long	830L	15	D1/00SD	60031986			
Pear Long	830L	15	D6/00SD	60031984			
Pear Long	830L	15	D6/00SD	60031988			
Pear Long	830L	15	D1/00SD	60031990			
Pear Long	830L	15	D1/00SD	60031992			
Pear Long	830L	15	D1/00SD	60031994			
Tapered Torpedo /Curettage	876P	8	D3/00SD	60032364			
Tapered Torpedo /Curettage	876P	8	D3/00SD	60032366			
Tapered Torpedo /Curettage	876XL	12	D1/00SD	60032376			
Tapered Torpedo /Curettage	876XL	12	D1/00SD	60032378			
Tapered Torpedo /Curettage	877K	12	D6/00SD	60032493			
Tapered Torpedo /Curettage	877K	14	D6/00SD	60032496			
Tapered Torpedo /Curettage	877K	16	D6/00SD	60032498			
Tapered Torpedo /Curettage	877K	18	D6/00SD	60032500			
Tapered Torpedo /Curettage	878K	10	D6/00SD	60032516			
Tapered Torpedo /Curettage	878K	12	D6/00SD	60032514			
Tapered Torpedo /Curettage	878K	14	D6/00SD	60032518			
Tapered Torpedo /Curettage	878K	14	D6/00SD	60032522			
Tapered Torpedo /Curettage	878K	16	D6/00SD	60032524			
Tapered Torpedo /Curettage	878K	16	D6/00SD	60032526			
Tapered Torpedo /Curettage	878K	16	D6/00SD	60032530			
Tapered Torpedo /Curettage	878K	16	D6/00SD	60032528			
Tapered Torpedo /Curettage	878K	18	D6/00SD	60032532			
Tapered Torpedo /Curettage	878K	18	D6/00SD	60032534			
Flat End Cylinder	8371	8	D3/00SD	60032070			
Flat End Cylinder	8371	8	D3/00SD	60032072			
Flat End Taper	8471	8	D3/00SD	60032156			
Flat End Taper	8471	8	D3/00SD	60032158			
Flat End Taper	8471	8	D3/00SD	60032186			
Flat End Taper	8471	8	D3/00SD	60032188			
Flat End Taper	8481	10	D3/00SD	60032234			
Flat End Taper	8481	10	D3/00SD	60032236			
Flat End Taper	8481	10	D3/00SD	60032238			
Flat End Taper	8481	10	D3/00SD	60032240			
Flat End Taper	8481	10	D3/00SD	60032242			
Flat End Taper	8481	10	D3/00SD	60032244			
Flat End Taper	8481	10	D3/00SD	60032246			
Flat End Taper	8481	10	D3/00SD	60032248			
Flat End Taper	8481	10	D3/00SD	60032250			
Flat End Taper	8481	10	D3/00SD	60032252			

DIATECH® 
ROTARY INSTRUMENTS

MEET THE TEAM



Laura Whyte
07788 146 109
laura.whyte@coltene.com

Scotland



Emily Downie
07889 227 424
emily.downie@coltene.com

North East



Nick O'Keeffe
00353 8641 35766
nicholas.okeeffe@coltene.com

Ireland



Sue Robins
07786 965 019
sue.robins@coltene.com

East Midlands



Debi Boynton
07764 327 425
debi.boynton@coltene.com

North West



Diana Hillen
07712 407 071
diana.hillen@coltene.com

Essex & East London



Emma Gilks
07906 749 682
emma.gilks@coltene.com

West Midlands & North Wales




Eva Fedorowicz
07818 424 210
eva.fedorowicz@coltene.com

North West & Central London



Andrew Miller
07788 583 057
andrew.miller@coltene.com

South Wales & West Country



UK OFFICE - SUSSEX



Nic Coomber
01444 235 486 - Ext 204

National Account Manager
& Marketing Strategist



Helen Chart
01444 235 486 - Ext 202

Finance & Office Manager



Louise Fish
07788 146 130
louise.fish@coltene.com

South London & South Coast

*Offer ends 30.09.2025. Available from participating suppliers. RRP's may vary with supplier.

For free item offers, free item from supplier unless otherwise stated.

© COLTENE – Printing errors, mistakes and changes reserved.



0800 254 5115 | info.uk@coltene.com | www.coltene.com

Coltene/Whaledent Ltd., The President Suite A, Kendal House, Victoria Way, Burgess Hill, West Sussex RH15 9NF

